


CERTA-LOK® YELOMINE RJ PIPE

PIPE ONLY - NO COUPLING, SPLINES AND O-RINGS


SAP SKU #	SIZE (IN.)	SDR	PSI	Length	Color
32D02002031800	2"	17	250	20'	Yellow
32D03002031800	3"	17	250	20'	Yellow
32G04002031800	4"	21	200	20'	Yellow
32D04002031800		17	250		
32B04002031800		13.5	315		
32I06002031800	6"	26	160	20'	Yellow
32G06002031800		21	200		
32D06002031800		17	250		
32B06002031800		13.5	315		
32I08002031800	8"	26	160	20'	Yellow
32G08002031800		21	200		
32D08002031800		17	250		
32B08002031800		13.5	315		
32I10002031800	10"	26	160	20'	Yellow
32G10002031800		21	200		
32I12002031820	12"	26	160	20'	Yellow
32312002031800		21	200		
32I14002031800	14"	26	160	20'	Yellow
32I14002031800		21	200		
32I16002031800	16"	26	90	20'	Yellow
**32G16002031800		21	**200		





CERTA-LOK® Yelomine Couplings


SIZE (IN.)	PSI	PART NO.		SAP SKU#		Color
		NON-PERM. USE	PERM. USE	NON-PERM. USE	PERM. USE	
2	250	705021	715020	82157705021	82157715020	Yellow
2 (dual spline) (4)	160	716096	--	82157716096	--	Yellow
3	250	705038	715037	82157705038	82157715037	Yellow
3 (dual spline) (4)	160	716102	--	82157716102	--	Yellow
4	250	705045	715044	82157705045	82157715044	Yellow
	250	745072	--	82157745072	--	Green
4 (dual spline) N	200	705182	--	82157705182	--	Yellow
4 (dual spline) (4)	160	716073	--	82157716073	--	Yellow
4 HP	315	745034	745232	82157745034	82157745232	Yellow
6	250	705069	715068	82157705069	82157715068	Yellow
6 (dual spline) N	200	705199	--	82157705199	--	Yellow
6 (dual spline) (4)	160	716065	--	82157716065	--	Yellow
6 (4 spline)	120	010522	--	82157010522	--	Yellow
6"	130	706820	--	82157706820	--	Yellow
6 HP	315	745041	745249	82157745041	82157745249	Yellow
	315	745065	--	82157745065	--	Green
	350	745096	--	82157745096	--	Yellow
8	250	705076	715075	82157705076	82157715075	Yellow
8 (dual spline) N	200	715150	715327	82157715150	82157715327	Yellow
8 (dual spline) (4)	160	715181	--	82157715181	--	Yellow
8 (4 spline)	120	010523	--	82157010523	--	Yellow
8	130	706837	--	82157706837	--	Yellow
8 HP	315	745058	745256	82157745058	82157745256	Yellow
10	200	705106	715105	82157705106	82157715105	Yellow
10 IRR (1)	160	740572	--	82157740572	--	Yellow
10 (dual spline) N	200	715228	--	82157715228	--	Yellow
10 (dual spline) (4)	160	715211	--	82157715211	--	Yellow
10 (4 spline)	120	740619	--	82157740619	--	Yellow
10 (4 spline)	125	740664	--	82157740664	--	Yellow
12	200	716669	716652	82157716669	82157716652	Yellow
12 (4 spline)	120	740626	--	82157740626	--	Yellow
14	160	745010	745218	82157745010	82157745218	Yellow
16 (2)	90	745027	745225	82157745027	82157745225	Yellow
16 (3)	200	745416	745409	82157745416	82157745409	Yellow



CERTA-LOK® REDUCER

C/L FEMALE X C/L MALE


SIZE (IN.)	PSI	PART NO.		SAP SKU#	
		NON-PERM. USE	PERM. USE	NON-PERM. USE	PERM. USE
3 x 2	250	706134	--	82157706134	--
4 x 2	250	706141	716140	82157706141	82157716140
4 x 3	250	706158	716157	82157706158	82157716157
6 x 2	250	706165	716164	82157706165	82157716164
6 x 3	250	706318	716317	82157706318	82157716317
6 x 4	250	706172	716171	82157706172	82157716171
8 x 2	250	706189	716188	82157706189	82157716188
8 x 4	250	706196	716195	82157706196	82157716195
8 x 6	250	706202	716201	82157706202	82157716201
10 x 6	200	011191	--	82157011191	--
10 x 8	200	706219	716218	82157706219	82157716218
12 x 8	200	706226	716225	82157706226	82157716225
12 x 10	200	706257	--	82157706257	--
14 x 8	160	706387	716386	82157706387	82157716386
16 x 10	90	707025	--	82157707025	--
16 x 12	90	706400	716409	82157706400	82157716409



CERTA-LOK® X CAST IRON ADAPTER NIPPLE


C/L MALE X CAST IRON O.D

SIZE (IN.)	PSI	PART NO.	SAP SKU#
4	250	708855	82157708855
6	250	708862	82157708862



CERTA-LOK® END CAP

SIZE (IN.)	PSI	PART NO.	SAP SKU#
4	250	700002	82157700002
6	250	700019	82157700019
8	250	700026	82157700026
10	200	700033	82157700033
12	200	700040	82157700040



CERTA-LOK® END PLUG


SIZE (IN.)	PSI	PART NO.	SAP SKU #
2	250	704987	82157704987
3	250	704994	82157704994
4	250	706288	82157706288
4 HP	315	706639	82157706639
6	250	706295	82157706295
8	250	706301	82157706301



CERTA-LOK® FLANGE ADAPTER

C/L MALE X FLANGE

SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	150	705748	82157705748
3	150	705755	82157705755
4	150	705762	82157705762
6	150	705779	82157705779
8	150	705786	82157705786
10	150	707773	82157707773
12	150	707780	82157707780
16	150	706486	82157706486



CERTA-LOK® TRANSITION FITTING

C/L MALE X VIC GROOVE


SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	Φ	710315	82157710315
3	Φ	710322	82157710322
4	Φ	710339	82157710339
4 HP	Φ	706523	82157706523
6	Φ	710346	82157710346
6 HP	Φ	706530	82157706530
8	Φ	710353	82157710353
10	Φ	707834	82157707834
12	Φ	707841	82157707841
16	Φ	710377	82157710377



CERTA-LOK® TAPPED COUPLING

C/L FEMALE X C/L MALE - FIPT OUTLET


SIZE (IN.)	OUTLET SIZE	PSI	SAP SKU#	
			NON-PERM. USE	PERM. USE
2 x 2	3/4"	250	82157700651	82157710650
2 x 2	1"	250	82157700668	82157710667
3 x 3	1-1/2"	250	82157705687	82157715686
4 x 4	1-1/2"	250	82157705694	82157715693
6 x 6	1-1/2"	250	82157700569	82157710568
6 x 6	2"	250	82157700576	82157710575
8 x 8	1-1/2"	250	82157705724	82157715723
8 x 8	2"	250	82157705731	82157715730
10 x 10	2"	200	82157705663	82157715662
12 x 12	2"	200	82157705670	82157715679



CERTA-LOK® TAPPED COUPLING

C/L FEMALE X C/L FEMALE - FIPT OUTLET

SIZE (IN.)	OUTLET SIZE	PSI	SAP SKU#	
			NON-PERM. USE	PERM. USE
2 x 2	3/4"	200	82157705403	82157715402
2 x 2	1"	200	82157705441	82157715440
3 x 3	3/4"	200	82157705410	82157715419
3 x 3	1"	200	82157705458	
3 x 3	1-1/2"	160	82157705465	82157715464
4 x 4	1/2"	200	82157716560	--
4 x 4 PVDF	1/2"	200	82157700705	--
4 x 4	3/4"	200	82157705427	82157715426
4 x 4	1"	200	82157705472	82157715470
4 x 4	1-1/2"	200	82157705489	82157715488
4 x 4 HP	1-1/2"	250	82157706585	82157716584
6 x 6	3/4"	200	82157705434	82157715433
6 x 6	1"	200	82157705496	82157715495
6 x 6	1-1/2"	200	82157705502	--
6 x 6 HP	1-1/2"	250	82157706592	--
6 x 6 HP GRN	1-1/2"	250	82157745089	--
6 x 6	2"	160	82157705540	82157715549
6 x 6 (BSP)	3"	130	82157705700	--
6 x 6	2" DT	160	82157705557	--
6 x 6 (dual spline)	2"	160	82157709555	--
6 x 6 (dual spline)	3"	130	82157709500	--
6 x 6 (dual spline)	2" DT	160	82157709562	--
6 x 6 (dual spline)	3" DT	130	82157715754	--
6 x 6 (dual spline)	2" ST, 3" DT	130	82157715785	--
8 x 8	1"	200	82157705519	82157715518
8 x 8	1-1/2"	200	82157705526	
8 x 8 HP	1-1/2"	250	82157715778	--
8 x 8	2"	160	82157705533	
8 x 8	3"	130	82157705588	
8 x 8 (BSP)	3"	130	82157705717	--
8 x 8 (dual spline)	3"	130	82157709593	--
8 x 8 (dual spline)	3" DT	130	82157715747	--
8 x 8 (dual spline)	2" ST, 3" DT	125	82157716706	--
10 x 10	1-1/2"	200	82157707858	82157717857
10 x 10	2"	160		82157717796
10 x 10 (dual spline)	2"	125	82157709685	--
10 x 10 (dual spline)	3"	125	82157727917	--
10 x 10 (dual spline)	4" No Thread	125	82157745430	--
10 x 10 (dual spline)	3" DT	125	82157725760	--
10 x 10 (dual spline)	2" ST, 3" DT	125	82157727924	--
12 x 12	2"	160	82157707803	82157717802
12 x 12 (dual spline)	3"	125	82157709708	--
12 x 12 (dual spline)	3" DT	130	82157709746	--




DT- Double Tapped

CERTA-LOK® YELOMINE X IPS ⁽¹⁾

EXPANSION COUPLING - 18" Length

SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	250	716423	82157716423
3	250	716430	82157716430
4	250	716447	82157010536
6	250	716454	82157010537
8	250	716461	82157010538
10	200	716478	82157010539
12	200	716485	82157010540
16	200	716539	82157716539



(1) IPS Couplings are not a restrained joint. If a restrained joint is required it must be applied externally. Contact your local NAPCO Sales representative for assistance.

CERTA-LOK® NIPPLE

C/L MALE X PLAIN END

SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	250	705847	82157705847
3	250	705854	82157705854
4	250	705861	82157705861
4 HP	315	706646	82157706646
6	250	705878	82157705878
6 HP	315	706653	82157706653
8	250	705885	82157705885
8 HP	315	706660	82157706660
10	200	706325	82157706325
12	160		82157706332
12	200	706806 (1)	82157706806
16	200	706356	82157706356



(1) For SDR26 and SDR21

CERTA-LOK® NIPPLE

C/L MALE X C/L MALE

SIZE (IN.)	PSI	PART NO.	SAP SKU#
4	250	711008	82157711008
6	250	711015	82157711015
8	250	711022	82157711022



CERTA-LOK® NIPPLE

C/L MALE X MIPT

SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	200	705991	82157705991
3	190		82157706790
3	190	706004	82157706004
3	190		82157010524
3	190		82157010525
4	160	706011	82157706011
6	140	706028	82157706028
6	190		82157706127
8	120	706035	82157706035



CERTA-LOK® NIPPLE

PLAIN END X MIPT


SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	200	705892	82157705892
3	190	705908	82157705908
4	160	705915	82157705915
6	140	705922	82157705922



CERTA-LOK® ADAPTER

C/L MALE X SOLVENT WELD BELL


SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	250	705304	82157705304
3	250	705311	82157705311
4	250	705328	82157705328
4 HP	315	706493	82157706493
6	250	705335	82157705335
8	250	705342	82157705342
10	200	705168	82157705168
12	200	705175	82157705175



CERTA-LOK® x SOLVENT WELD COUPLING

C/L FEMALE X SW SOCKET END


SIZE (IN.)	PSI	PART NO.		SAP SKU#	
		NON-PERM. USE	PERM. USE	NON-PERM. USE	PERM. USE
2	250	705359	715358	82157705359	82157715358
3	250	705366	715365	82157705366	82157715365
4	250	705373	715372	82157705373	82157715372
4	350				82157010557
6	250	705380	715389	82157705380	82157715389
6	315				82157010558
6	350				82157010559
8	250	705397	715396	82157705397	82157715396
8	315				82157010560
10	160	705083	715082	82157705083	82157715082
12	160	705090	715099	82157705090	82157715099
16	90	705212	715136	82157705212	82157715136



CERTA-LOK® 45° ELLS

C/L MALE X C/L MALE


SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	250	704949	82157704949
3	250	704956	82157704956
4	250	704826	82157704826
4 HP	315	706615	82157706615
6	250	704833	82157704833
8	250	704840	82157704840
10	200	704789	82157704789
12	200	704796	82157704796
16	200	705014	82157705014



CERTA-LOK® 90° ELLS

C/L MALE X C/L MALE

SIZE (IN.)	PSI	PART NO.	SAP SKU#
2	250	704963	82157704963
3	250	704970	82157704970
4	250	704888	82157704888
4 HP	315	706622	82157706622
6	250	704895	82157704895
8	250	704901	82157704901
10	200	704765	82157704765
12	200	704772	82157704772
16	200	704758	82157704758




CERTA-LOK® TEE

C/L MALE X C/L MALE X C/L MALE

SIZE (IN.)	PSI	PART NO.	SAP SKU#
2 x 2 x 2	250	704918	82157704918
3 x 3 x 3	250	704925	82157704925
4 x 4 x 4	250	704628	82157704628
4 x 4 x 4 HP	315	706608	82157706608
6 x 6 x 6	250	704635	82157704635
8 x 8 x 8	250	704642	82157704642
10 x 10 x 10	200	704581	82157704581
12 x 12 x 12	200	704598	82157704598
12 x 12 x 12 (1)	160	745522	82157745522
16 x 16 x 16	160	704536	82157704536


(1) - Used with SDR 32.5 Irrigation Pipe



CERTA-LOK® REDUCING TEE


C/L MALE X C/L MALE X C/L MALE

SIZE (IN.)	PSI	PART NO.	SAP SKU#
3 x 3 x 2	250	704932	82157704932
4 x 4 x 2	250	704673	82157704673
4 x 4 x 3	250	704680	82157704680
6 x 6 x 2	250	704697	82157704697
6 x 6 x 3	250	704703	82157704703
6 x 6 x 4	250	704710	82157704710
8 x 8 x 6	250	704727	82157704727
10 x 10 x 6	200	704543	82157704543
10 x 10 x 8	200		82157704550
12 x 12 x 4	200	704505	82157704505
12 x 12 x 6	200	704567	82157704567
12 x 12 x 8	200	704574	82157704574
12 x 12 x 10	150		82157011658
16 x 16 x 10	200		82157012150




CERTA-LOK® WYES

SIZE (IN.)	PSI	PART NO.	SAP SKU#
4	150	707018	82157707018
6	150	706677	82157706677
8	100	706721	82157706721



CERTA-LOK® REDUCER WYES


SIZE (IN.)	PSI	PART NO.	SAP SKU#
8 x 8 x 4	100		82157706776



CERTA-LOK® 60° SWEEP BENDS

C/L MALE X C/L MALE

SIZE (IN.)	PSI	PART NO.	SAP SKU#
4	250		82157716288
6	250		82157716289
8	250		82157716290



CERTA-LOK® SPLINES

SIZE (IN.)	PART NO.	INSERTION TOOL NO.*	SAP SKU#
2	864605	--	S0210RN0
3	864612	707964	S0316RN0
4	864629	707964	S4518RN0
4 HP	864889	707964	S0418SN0
6	864636	707964	S0624RN0
6 HP	865060	707964	S0624SN0
8	864643	707971	S0832SN0
8 HP		707971	S0832SN1
10	864650	707995	S1039SN0
10 IRR	864872	707971	S1039SNG
12 - Black	867309	707940	S1246TN0
12 - White	867309		S1246TV0
12 IRR	864896	707971	S1246SNG
14			S1448SN0
16	865336	707940	S1656TN0

* Pricing for insertion tool is listed separately on the right section of this page

CERTA-LOK® ACID-RESISTANT SPLINES

SIZE (IN.)	PART NO.	SAP SKU#
2 *	-	S0210RV0
3	-	S0316RV0
4	-	S0418RV0
6	-	S0624RV0
8	-	S0832SV0
10	-	S1039SV0
12	-	S1246TV0

*2" is available on a special-order basis only

LUBRICANT

PACKAGING AND WEIGHTS

For pipe and couplings that require lubricant, sufficient lubricant (per table below) will be furnished at no charge. Additional lubricant can be purchased as shown below.

CONTAINER SIZE	WT. LBS./CAN	PART NO.	SAP SKU#
1 Quart	2.5 lbs.	860058	82157860058

LUBRICANT

JOINTS / FOOTAGE PER CAN

NOM. SIZE (IN.)	NO. JOINTS/FOOTAGE PER QUART
2	142 / 2,840
3	96 / 1,920
4	66 / 1,320
6	46 / 920
8	32 / 640
10	26 / 520
12	22 / 440
16	16 / 320



CERTA-LOK® GROOVING TOOL

DESCRIPTION	PART NO.	SAP SKU#
1 1/2 HP Portable Router (110 Volt)	860072	82157860072
1 1/2 HP Portable Router (220 Volt)	860317	82157860317
4" Jig Fixture	860102	82157860102
6" Jig Fixture	860119	82157860119
8" Jig Fixture	860126	82157860126
10" Jig Fixture	860133	82157860133
12" Jig Fixture	860140	82157860140
16" Jig Fixture	860423	82157860423
15° Beveling Bit	860904	82157860904
3/8" Bit (1)	860171	82157860171
1/2" Bit (2)	860188	82157860188
3/4" Bit (3)	860362	82157860362

(1) for 4"-6" diameter (2) for 8"-10" diameter (3) for 12"-16" diameter

CERTA-LOK® SPLINE INSERTION TOOL

SPLINE SIZE (IN)	PART NO.	SAP SKU#
0.25" ROUND & 0.25" SQUARE	707964	82157707964
0.313" SQUARE & 0.313" x 0.375" RECTANGLE	707971	82157707971
0.375" SQUARE	707995	82157707995
0.375" x 0.625" RECTANGLE	707940	82157707940

CAUTION: Care must be taken not to overlap the spline when using insertion tool

CERTA-LOK® YELOMINE O-RING

NON-PERMANENT USE

Teflon-coated for easy assembly.

No lubricant required to assemble 2"- 4"

SIZE (IN.)	PART NO.	SAP SKU#
2	861215	OR020YMNN
3	861222	OR030YMNN
4	861239	OR040YMNN
6	861277	OR060YMNN
8	862717	OR080YMNI
10	861697	OR100YMNI
12	861703	OR120YMNI
14		OR140YMNI
16	861772	OR160YMNI

CERTA-LOK® YELOMINE O-RING

PERMANENT USE

Teflon-coated for easy assembly.

Lubricant required to assemble all sizes.

Maximum compression, high disassembly effort.

SIZE (IN.)	PART NO.	SAP SKU#
2	860607	OR020YMPI
3	860614	OR030YMPI
4	860621	OR040YMPI
6	860638	OR060YMPI
8	860645	OR080YMPI
10	860652	OR100YMPI
12	860669	OR120YMPI
14		OR140YMPI
16	860690	OR160YMPI

